

---

# Abbott Architect I2000 Manual

hoklas 834s scope of accreditation ? ? ? ? ?. thyroid stimulating hormone on architect i2000. quality abbot architect ci 8200 myco instrumentation. value assignment web test setup edit. architect probe conditioning solution immunoassay for. ucsf departments of pathology and laboratory medicine

## ***HOKLAS 834S Scope of Accreditation ? ? ? ? ?***

*May 6th, 2018 - Contact Details Registration Number HOKLAS 834S Page 1 of 1  
Chan amp Hou Medical Laboratories Ltd ?? CH ??????? 834 MED ADDRESS ??'*

## **'Thyroid Stimulating Hormone on Architect i2000**

May 6th, 2018 - UNIVERSITY OF CALIFORNIA SAN FRANCISCO  
CLINICAL LABORATORIES Page 1 of 5 Thyroid Stimulating Hormone on  
Architect i2000 In Use Date May 1 2016 I PRINCIPLE'

## **'Quality Abbott Architect Ci 8200 Myco Instrumentation**

May 4th, 2018 - Abbott Architect Ci 8200 Chemistry Analyzer Highlights  
Workstation integration delivers high throughput and fast turnaround'

## ***'Value Assignment Web Test Setup Edit***

*May 6th, 2018 - Configuration Gt Add New Test Setup Matrix Analyte'*

## **'Architect Probe Conditioning Solution Immunoassay For**

**May 2nd, 2018 - Architect Probe Conditioning Solution Immunoassay For  
Architect I2000 Analyzer 4 X 25 ML Abbott 01L5640'**

**UCSF Departments Of Pathology And Laboratory Medicine**

April 30th, 2018 - Note 1 Normal Range For Infants 0 7 Day Old Adopted From Pediatric Reference Ranges 6th Edition

AACC Press 2007 Method 4 Bromcresol Purple BCP,,

Copyright Code : [8q0D7YGI9wUdzFx](https://www.8q0D7YGI9wUdzFx.com)